

GOVERNMENT OF ASSAM
ASSAM STATE DISASTER MANAGEMENT AUTHORITY
ANCILLARY BLOCK, JANATA BHAWAN, DISPUR, GUWAHATI-781006
Phone No: 0361-2237221(O); E-mail: asdmaghy@gmail.com

ORDER

No. ASDMA/24/2020/Part

Dated Dispur the 31st August, 2020


Guidelines for action to be taken on detection of COVID-19 positive case in industrial premises

Keeping in view of the fact that detection of any COVID-19 positive case should not result into complete shutdown of operation of industries, following measures shall be implemented and guidelines to be adhered to by industries.

1. Any workman showing symptoms of COVID-19 has to be immediately shifted to the nearest COVID Care Center.
2. If any workman is tested positive for COVID-19, the premises where he was working has to be sanitized and isolated from other workmen for 24 hours.
3. Following sanitization and lapse of 24 hours, activities in the location can be resumed.
4. All COVID protocols including wearing of face cover and social distancing are to be maintained at all working places.

It is the responsibility of all factory owners/managers to periodically test all workmen for COVID.

All the orders/guidelines/circulars/SOPs issued from Government of India and Government of Assam from time to time shall strictly be applicable and be followed.


(KUMAR SANJAY KRISHNA)
Chief Secretary, Assam

Copy to:- All Concerned.