

DRIMS Assam

Disaster Reporting and Information Management System

| Assam Storm Report as on 31-05-2024 | | | | | | |
|--|--------------------------|---|--|-----------------|-------------------------|--|
| Assam Storm Report as on 31-05-2024 | | | | | | |
| Particulars | | | | | | |
| | District Affected | No. of Districts Affected | Name of Affected Districts | | | |
| | 9 | Baksa, Dhubri, South Salmara, Bongaigaon, Udalguri, Darrang, Kokrajhar, Charaideo, Kamrup (M) | | | | |
| No. Of Revenue Circles Affected | 21 | | | | | |
| Name Of Revenue Circle Affected | District | Total | Revenue Circle | | | |
| | Baksa | 1 | Jalah | | | |
| | Dhubri | 7 | Gauripur, Bilasipara, Agamoni, Athani, South Salmara Part, Chapar, Golakganj | | | |
| | South Salmara | 2 | Mankachar, South Salmara | | | |
| | Bongaigaon | 2 | Dangtol, Bongaigaon | | | |
| | Udalguri | 2 | Khairabari, Harisinga | | | |
| | Darrang | 4 | Dalgaon, Patharighat, Sipajhar, Mangaldoi | | | |
| | Kokrajhar | 1 | Bagribari | | | |
| | Charaideo | 1 | Sapekhati | | | |
| | Kamrup (M) | 1 | Azara | | | |
| | Total | 21 | | | | |
| Villages Affected | District | Total | Revenue Circle | | | |
| | Baksa | 1 | (Jalah 1) | | | |
| | Dhubri | 51 | (Gauripur 5), (Bilasipara 7), (Agamoni 21), (Athani 3), (South Salmara Part 4), (Chapar 8), (Golakganj 3) | | | |
| | South Salmara | 25 | (Mankachar 23), (South Salmara 2) | | | |
| | Bongaigaon | 6 | (Dangtol 2), (Bongaigaon 4) | | | |
| | Udalguri | 6 | (Khairabari 2), (Harisinga 4) | | | |
| | Darrang | 33 | (Dalgaon 2), (Patharighat 8), (Sipajhar 4), (Mangaldoi 19) | | | |
| | Kokrajhar | 6 | (Bagribari 6) | | | |
| | Charaideo | 1 | (Sapekhati 1) | | | |
| | Kamrup (M) | 1 | (Azara 1) | | | |
| Total | 130 | | | | | |
| Population Affected | District | Male | Female | Children | Total Population | Population Details |
| | Baksa | 0 | 0 | 0 | 0 | (Jalah 0) |
| | Dhubri | 17 | 12 | 9 | 38 | (Gauripur 0), (Bilasipara 0), (Agamoni 0), (Athani 0), (South Salmara Part 0), (Chapar 38), (Golakganj 0) |
| | South Salmara | 6 | 3 | 2 | 11 | (Mankachar 0), (South Salmara 11) |
| | Bongaigaon | 0 | 0 | 0 | 0 | (Dangtol 0), (Bongaigaon 0) |
| | Udalguri | 0 | 0 | 0 | 0 | (Khairabari 0), (Harisinga 0) |
| | Darrang | 8 | 8 | 1 | 17 | (Dalgaon 17), (Patharighat 0), (Sipajhar 0), (Mangaldoi 0) |
| | Kokrajhar | 0 | 0 | 0 | 0 | (Bagribari 0) |
| | Charaideo | 0 | 0 | 0 | 0 | (Sapekhati 0) |
| | Kamrup (M) | 1 | 1 | 2 | 4 | (Azara 4) |
| Total | 32 | 24 | 14 | 70 | | |
| Relief Camps / Centres Opened | District | Total | Relief Camp | | | Relief Distribution Centres |
| | Baksa | 0 | 0 (Jalah 0) | | | 0 (Jalah 0) |
| | Dhubri | 0 | 0 (Gauripur 0), (Bilasipara 0), (Agamoni 0), (Athani 0), (South Salmara Part 0), (Chapar 0), (Golakganj 0) | | | 0 (Gauripur 0), (Bilasipara 0), (Agamoni 0), (Athani 0), (South Salmara Part 0), (Chapar 0), (Golakganj 0) |

| | | | | | | | | | |
|-------------------------------------|-----------------|--------------|--|---------------|-----------------|---|-------------------------------------|--|-------------------------------|
| | South Salmara | 0 | 0 (Mankachar 0), (South Salmara 0) | | | 0 (Mankachar 0), (South Salmara 0) | | | |
| | Bongaigaon | 0 | 0 (Dangtol 0), (Bongaigaon 0) | | | 0 (Dangtol 0), (Bongaigaon 0) | | | |
| | Udalguri | 0 | 0 (Khairabari 0), (Harisinga 0) | | | 0 (Khairabari 0), (Harisinga 0) | | | |
| | Darrang | 0 | 0 (Dalgaon 0), (Patharighat 0), (Sipajhar 0), (Mangaldoi 0) | | | 0 (Dalgaon 0), (Patharighat 0), (Sipajhar 0), (Mangaldoi 0) | | | |
| | Kokrajhar | 0 | 0 (Bagribari 0) | | | 0 (Bagribari 0) | | | |
| | Charaideo | 0 | 0 (Sapekhati 0) | | | 0 (Sapekhati 0) | | | |
| | Kamrup (M) | 0 | 0 (Azara 0) | | | 0 (Azara 0) | | | |
| | Total | 0 | 0 | | | 0 | | | |
| Inmates In Relief Camps | District | Total | Revenue Circlewise | | Male | Female | Children | Pregnant / Lactating Mother | Person with Disability |
| | Baksa | 0 | 0 (Jalah 0) | | 0 | 0 | 0 | 0 | 0 |
| | Dhubri | 0 | 0 (Gauripur 0), (Bilasipara 0), (Agamoni 0), (Athani 0), (South Salmara Part 0), (Chapar 0), (Golakganj 0) | | 0 | 0 | 0 | 0 | 0 |
| | South Salmara | 0 | 0 (Mankachar 0), (South Salmara 0) | | 0 | 0 | 0 | 0 | 0 |
| | Bongaigaon | 0 | 0 (Dangtol 0), (Bongaigaon 0) | | 0 | 0 | 0 | 0 | 0 |
| | Udalguri | 0 | 0 (Khairabari 0), (Harisinga 0) | | 0 | 0 | 0 | 0 | 0 |
| | Darrang | 0 | 0 (Dalgaon 0), (Patharighat 0), (Sipajhar 0), (Mangaldoi 0) | | 0 | 0 | 0 | 0 | 0 |
| | Kokrajhar | 0 | 0 (Bagribari 0) | | 0 | 0 | 0 | 0 | 0 |
| | Charaideo | 0 | 0 (Sapekhati 0) | | 0 | 0 | 0 | 0 | 0 |
| | Kamrup (M) | 0 | 0 (Azara 0) | | 0 | 0 | 0 | 0 | 0 |
| | Total | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| Human Lives Lost - Confirmed | District | Total | Male | Female | Children | | Others | Revenue Circlewise | |
| | | | | | Male | Female | | | |
| | Baksa | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Jalah 0) | |
| | Dhubri | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Gauripur 0), (Bilasipara 0), (Agamoni 0), (Athani 0), (South Salmara Part 0), (Chapar 0), (Golakganj 0) | |
| | South Salmara | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Mankachar 0), (South Salmara 0) | |
| | Bongaigaon | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Dangtol 0), (Bongaigaon 0) | |
| | Udalguri | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Khairabari 0), (Harisinga 0) | |
| | Darrang | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Dalgaon 0), (Patharighat 0), (Sipajhar 0), (Mangaldoi 0) | |
| | Kokrajhar | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Bagribari 0) | |
| | Charaideo | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Sapekhati 0) | |
| Kamrup (M) | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Azara 0) | | |
| | Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Human Lives Lost - Missing | District | Total | Male | Female | Children | | Others | Revenue Circlewise | |
| | | | | | Male | Female | | | |
| | Baksa | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Jalah 0) | |
| | Dhubri | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Gauripur 0), (Bilasipara 0), (Agamoni 0), (Athani 0), (South Salmara Part 0), (Chapar 0), (Golakganj 0) | |
| | South Salmara | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Mankachar 0), (South Salmara 0) | |
| | Bongaigaon | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Dangtol 0), (Bongaigaon 0) | |
| Udalguri | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Khairabari 0), (Harisinga 0) | | |

| | | | | | | | | | | | |
|-----------------------------------|-----------------|---------------------|--------------------|--------------------|-----------------|-------------------------|------------------------|--|--|-----------------------|-----------------------|
| | Darrang | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Dalgaoon 0), (Patharighat 0), (Sipajhar 0), (Mangaldoi 0) | | |
| | Kokrajhar | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Bagribari 0) | | |
| | Charaideo | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Sapekhati 0) | | |
| | Kamrup (M) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Azara 0) | | |
| | Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| Human Lives Lost - Injured | District | Total | Male | Female | Children | | Others | Revenue Circlewise | | | |
| | | | | | Male | Female | | | | | |
| | Baksa | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Jalah 0) | | | |
| | Dhubri | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Gauripur 0), (Bilasipara 0), (Agamoni 0), (Athani 0), (South Salmara Part 0), (Chapar 0), (Golakganj 0) | | | |
| | South Salmara | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Mankachar 0), (South Salmara 0) | | | |
| | Bongaigaon | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Dangtol 0), (Bongaigaon 0) | | | |
| | Udalguri | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Khairabari 0), (Harisinga 0) | | | |
| | Darrang | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Dalgaoon 0), (Patharighat 0), (Sipajhar 0), (Mangaldoi 0) | | | |
| | Kokrajhar | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Bagribari 0) | | | |
| | Charaideo | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Sapekhati 0) | | | |
| Kamrup (M) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 (Azara 0) | | | |
| | Total | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| Animals Injured | District | Total | Big | Small | Poultry | | | | | | |
| | Baksa | 0 | 0 | 0 | 0 | | | | | | |
| | Dhubri | 0 | 0 | 0 | 0 | | | | | | |
| | South Salmara | 0 | 0 | 0 | 0 | | | | | | |
| | Bongaigaon | 0 | 0 | 0 | 0 | | | | | | |
| | Udalguri | 0 | 0 | 0 | 0 | | | | | | |
| | Darrang | 0 | 0 | 0 | 0 | | | | | | |
| | Kokrajhar | 0 | 0 | 0 | 0 | | | | | | |
| | Charaideo | 0 | 0 | 0 | 0 | | | | | | |
| | Kamrup (M) | 0 | 0 | 0 | 0 | | | | | | |
| | Total | 0 | 0 | 0 | 0 | | | | | | |
| Animals Death | District | Total | Big | Small | Poultry | | | | | | |
| | Baksa | 0 | 0 | 0 | 0 | | | | | | |
| | Dhubri | 0 | 0 | 0 | 0 | | | | | | |
| | South Salmara | 0 | 0 | 0 | 0 | | | | | | |
| | Bongaigaon | 0 | 0 | 0 | 0 | | | | | | |
| | Udalguri | 0 | 0 | 0 | 0 | | | | | | |
| | Darrang | 0 | 0 | 0 | 0 | | | | | | |
| | Kokrajhar | 0 | 0 | 0 | 0 | | | | | | |
| | Charaideo | 0 | 0 | 0 | 0 | | | | | | |
| | Kamrup (M) | 0 | 0 | 0 | 0 | | | | | | |
| | Total | 0 | 0 | 0 | 0 | | | | | | |
| Houses Damaged | District | Fully Kuccha | Fully Pukka | Fully Total | | Partially Kuccha | Partially Pukka | Partially Total | Severely Kuccha | Severely Pukka | Severely Total |
| | Baksa | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| | Dhubri | 5 | 0 | 5 | | 0 | 0 | 0 | 0 | 0 | 0 |
| | South Salmara | 0 | 0 | 0 | | 0 | 17 | 17 | 0 | 0 | 0 |
| | | Total | 5 | 0 | 5 | | 0 | 17 | 17 | 0 | 0 |

| | | | | | | | | | | | | |
|------------------------------|-----------------|--------------------|-------------------|--------------------|--------------------------------|--|--|---------------------------------------|-----------------------|----------------------------------|-----------------------------|--|
| | Bongaigaon | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | Udalguri | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | Darrang | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | | |
| | Kokrajhar | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | Charaideo | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | Kamrup (M) | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | | |
| | Total | 5 | 0 | 5 | 1 | 19 | 20 | 0 | 0 | 0 | | |
| Houses Damaged Others | District | Others Huts | | | Others Cattle Shed | | | Others Total | | | | |
| | Baksa | 0 | | | 0 | | | 0 | | | | |
| | Dhubri | 3 | | | 0 | | | 3 | | | | |
| | South Salmara | 127 | | | 1 | | | 128 | | | | |
| | Bongaigaon | 0 | | | 0 | | | 0 | | | | |
| | Udalguri | 0 | | | 0 | | | 0 | | | | |
| | Darrang | 0 | | | 0 | | | 0 | | | | |
| | Kokrajhar | 0 | | | 0 | | | 0 | | | | |
| | Charaideo | 0 | | | 0 | | | 0 | | | | |
| | Kamrup (M) | 0 | | | 0 | | | 0 | | | | |
| | Total | 130 | | | 1 | | | 131 | | | | |
| Rescue Operation | District | Agency | | | Other Agencies Involved | | Equipments | Medical Team Deployed | Boats Deployed | Person Evacuated By Boats | Helicopters Deployed | Person Evacuated By Helicopters |
| | Baksa | | | | | | | 0 | 0 | 0 | 0 | 0 |
| | Dhubri | | | | | | | 0 | 0 | 0 | 0 | 0 |
| | South Salmara | | | | | | | 0 | 0 | 0 | 0 | 0 |
| | Bongaigaon | | | | | | | 0 | 0 | 0 | 0 | 0 |
| | Udalguri | | | | | | | 0 | 0 | 0 | 0 | 0 |
| | Darrang | | | | | | | 0 | 0 | 0 | 0 | 0 |
| | Kokrajhar | | | | | | | 0 | 0 | 0 | 0 | 0 |
| | Charaideo | | | | | | | 0 | 0 | 0 | 0 | 0 |
| | Kamrup (M) | | | | | | | 0 | 0 | 0 | 0 | 0 |
| Total | | | | | | | 0 | 0 | 0 | 0 | 0 | |
| Relief Distributed | District | Rice (in Q) | Dal (in Q) | Salt (in Q) | M. Oil (in L) | Cattle Feed - Green Fooder (in Q) | Cattle Feed - Wheat Bran (in Q) | Cattle Feed - Rice Bran (in Q) | | | | |
| | Baksa | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | Dhubri | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | South Salmara | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | Bongaigaon | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | Udalguri | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | Darrang | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | Kokrajhar | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | Charaideo | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | Kamrup (M) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |

| Relief Distributed - Others | District | Baby Food Liquid | Baby Food Solid | Others | | | | | | | |
|---------------------------------|-----------------------------------|-------------------------------------|----------------------------------|-----------------------------------|---------------------------|-------------------|--|-------------|---|---|--|
| Relief Distributed - Others | Baksa | | | | | | | | | | |
| | Dhubri | | | | | | | | | | |
| | South Salmara | | | | | | | | | | |
| | Bongaigaon | | | | | | | | | | |
| | Udalguri | | | | | | | | | | |
| | Darrang | | | | | | | | | | |
| | Kokrajhar | | | | | | | | | | |
| | Charaideo | | | | | | | | | | |
| | Kamrup (M) | | | | | | | | | | |
| Infrastructure Damaged - Others | District | Revenue Circle | Damages | Number | Name | Department | Village | Location | Longitude | Latitude | Remarks |
| Infrastructure Damaged - Others | Baksa | Jalah | Power Dept. Conductors (in Nos) | 1 | PATHSALA ESD | APDCL | Godhuligoan | Godhuligaon | 91.23 | 26.69 | As per information received from Pathsala ESD 200 mtr Conductor have been damaged due to Storm on 31-05-24 |
| | Dhubri | Gauripur | Power Dept. Conductors (in Nos) | 2 | Damaged Conductor (in KM) | APDCL | Dumardaha PT-I | Dumurdaha | | | LT 1.50 KM |
| | | | | | Damaged Conductor (in KM) | APDCL | Alomganj Pt.I | Alomganj | | | HT 0.90 KM |
| | | | Power Dept. Poles (in Nos) | 4 | PSC Poles (in no) | APDCL | Dhangirchar | Dhangirchar | | | 7.5 mtr |
| | | | | | PSC Poles (in no) | APDCL | Geramari Pt.I | Geramari | | | 7.5 mtr |
| | | | | | PSC Poles (in no) | APDCL | Dhangirchar | Dhangirchar | | | 7.5 mtr |
| | | | | | PSC Poles (in no) | APDCL | Alomganj Pt.VIII | Alomganj | | | 7.5 mtr |
| | Power Dept. Transformers (in Nos) | 1 | Transformer (Nos.) | APDCL | Dumardaha PT-I | Dumurdaha | | | Transformer Damaged - 63 KVA | | |
| | Bilasipara | Anganwadi Centres Affected (in Nos) | 2 | 218 No Rangapani Anganwadi centre | Women & Child Development | Rangapani Pt-I | Rangapani pt-I | 90.12 | 26.33 | 218 No Rangapani Anganwadi centre damage | |
| | | | 98 No Rangapani Anganwadi centre | Women & Child Development | Rangapani Pt-II | Rangapani Pt-II | 90.12 | 26.34 | 98 No Rangapani Anganwadi centre damage | | |
| | | Power Dept. Poles (in Nos) | 3 | pole | APDCL | Bangalipara Pt-I | Bangalipara Pt-I, | 90.28 | 26.23 | Damage PSC Pole -7.5 mtr- 3 Nos | |
| | | | | pole | APDCL | Jogirmahal Pt-III | Jogirmohal pt-iii, | 90.24 | 26.25 | | |
| | | | | pole | APDCL | Patimari | patimari | 90.24 | 26.25 | | |
| | | Power Dept. Transformers (in Nos) | 2 | Damage Transformer | APDCL | Bandhabpara | Bandhabpara | 90.22 | 26.23 | Damage Transformer 25 KVA- 1nos | |
| | | | | Damage Transformer | APDCL | Hatipota Pt-I | hatipota | 90.26 | 26.23 | Damage Transformer 63 KVA- 1 nos | |
| | | Power Dept. Conductors (in Nos) | 1 | Damaged Conductor | APDCL | Hatipota Pt-I | Bandhabpara, Bangalipara Pt-I, Hatipota pt-I, Jogirmohal pt-iii, Patimari, | 90.17 | 26.25 | HT 0.5 KM LT 2.5 KM | |
| | Agamoni | Power Dept. Poles (in Nos) | 7 | Pole | APDCL | Koimari Pt 1 | 1. Koimari pt 5 2. Koimari pt 2 3. Bidyadabri pt 5 4. Bidyadabri pt 2 | 89.8 | 26.3 | Pole 7.5 mtr 06 nos and Pole 8.5 mtr 01no | |

| | | | | | | | | | |
|--|-----------------------------------|---|-----------|-------|------------------|--|-------|-------|--|
| | | | | | | 5. Sonakhuli pt 1 6. Bholarkhas 7. Kaimari pt-1 8. Lorajani 9. Athghoritari 10. Uttarmaragadadhar 11. Singimari 12. Bhangaduli 13 Jhapusabari Pt-1 14 Kaldoba 15. Bouserkut-i 16. Bishkhowa pt- 3 17 Belguri pt-i 18 Jhaskal-3 19 Bhamundanga pt-2 20 Jhapusabari pt-5 21 Ratiadaha 22. Belguri pt-2 23. Jhaskal-1 24. Ramraikuti pt-2 25. Pokalagi pt 2 | | | |
| | Power Dept. Transformers (in Nos) | 6 | DTR | APDCL | Bidyardabri Pt 5 | 1. Koimari pt 5 2. Koimari pt 2 3. Bidyardabri pt 5 4. Bidyardabri pt 2 5. Sonakhuli pt 1 6. Bholarkhas 7. Kaimari pt-1 8. Lorajani 9. Athghoritari 10. Uttarmaragadadhar 11. Singimari 12. Bhangaduli 13 Jhapusabari Pt-1 14 Kaldoba 15. Bouserkut-i 16. Bishkhowa pt- 3 17 Belguri pt-i 18 Jhaskal-3 19 Bhamundanga pt-2 20 Jhapusabari pt-5 21 Ratiadaha 22. Belguri pt-2 23. Jhaskal-1 24. Ramraikuti pt-2 25. Pokalagi pt 2 | 89.71 | 26.27 | DTR 63 KV- 02 Nos DTR 25 KV- o2 Nos DTR 16 KV-02 Nos |
| | Power Dept. Conductors (in Nos) | 2 | Conductor | APDCL | Pokalagi Pt 1 | 1 Koimari pt 5 2. Koimari pt 2 3. Bidyardabri pt 5 4. Bidyardabri pt 2 5. Sonakhuli pt 1 6. Bholarkhas 7. Kaimari pt-1 8. Lorajani 9. Athghoritari 10. Uttarmaragadadhar 11. Singimari 12. Bhangaduli 13 Jhapusabari Pt-1 14 Kaldoba 15. Bouserkut-i 16. Bishkhowa pt- 3 17 Belguri pt-i 18 Jhaskal-3 | 89.78 | 26.11 | Conductor HT-2.2 KM Conductor LT-3.5 KM |

| | | | | | | | | | |
|-----------------------------------|------------------------------------|-------------|--|------------------|-------------------------|--|-------|----------------------------------|--|
| | | | | | | 19 Bhamundanga pt-2 20 Jhaphusabari pt-5 21 Ratiadaha 22. Belguri pt-2 23. Jhaskal-1 24. Ramraikuti pt-2 25. Pokalagi pt 2 | | | |
| Athani | Power Dept. Conductors (in Nos) | 1 | Conductor | APDCL | Sadhubhasa Pt-I | Sadhubhasa pt 1, pt2 and boyzeralga pt 2 | 90.14 | 26.16 | 0.6 km LT and 0.8 km HT conductor damaged |
| | Power Dept. Poles (in Nos) | 7 | Pole | APDCL | Sadhubhasa Pt-I | Sadhubhasa pt 1 | 90.14 | 26.16 | 2 no of 9.75 m poles have been damaged |
| | | | Poles | APDCL | Sadhubhasa Pt-II | Sadhubhasa pt 2 | 90.14 | 26.16 | 5 nos of 9.75 m poles have been damaged |
| | Power Dept. Transformers (in Nos) | 1 | Transformers | APDCL | Boyzeralga Pt-II | Boyzeralga Pt-II | 90.13 | 26.16 | Damage Transformer 16 KVA |
| South Salmara Part | Power Dept. Poles (in Nos) | 6 | LT Pole | APDCL | Moirakuchi Pt-II | Moirakuchi | | | 2 nos pole |
| | | | LT Pole | APDCL | Sundarpara Pt-IV | Sundarpara | | | 1 nos pole |
| | | | LT Pole | APDCL | mathakata Banachapa | Banachapa | | | 2 nos pole |
| | | | LT pole | APDCL | Bawluri | Bawluri | | | 1 nos |
| | Power Dept. Conductors (in Nos) | 4 | Conductor | APDCL | mathakata Banachapa | Banachapa | | | Conductor 0.7 km |
| | | | conductor | APDCL | Sundarpara Pt-IV | Sundarpara | | | conductor 0.2 km |
| | | | conductor | APDCL | Bawluri | Bawluri | | | conductor 0.4 km |
| | | | conductor | APDCL | Moirakuchi Pt-II | Moirakuchi | | | conductor 1.8 km |
| Power Dept. Transformers (in Nos) | 1 | Transformer | APDCL | Sundarpara Pt-IV | Sundarpara Pt-iv | 90.08 | 25.95 | Transformer Damaged 25 KVA | |
| Chapar | Secondary Schools Damaged (in Nos) | 1 | RAIJHORA HS SCHOOL | Education Deptt. | Baholpur Borpara Pt_li | Bahalpur Birpara Pt-II | 90.29 | 26.19 | The institution has been partially damaged. |
| | Power Dept. Transformers (in Nos) | 3 | Powder dept transformer | APDCL | Falimari | Falimari | | | 16KVA TRANSFORMER-01 NO |
| | | | Power dept transformer | APDCL | Noonmati Pt-I | Noonmati Pt-I | | | 100Kva transformer -01no. |
| | Power Dept Transformer | | APDCL | Srigram Pt-VI | Srigram Pt VI | | | 100KVA Transformer damaged-01 NO | |
| Golakganj | Power Dept. Transformers (in Nos) | 1 | Transformer 100 KVA in Nos | APDCL | Pub Gaikhowa Pt. I | Pub Gaikhowa (Near irrigation) | 89.84 | 26.09 | 1 No. of 100 KVA Transformer damage. |
| | Power Dept. Poles (in Nos) | 2 | Power Department Pole 8.5 mtr. in Nos. | APDCL | Lotka | Lotka | 89.86 | 26.15 | 1 No. of Power Department Pole 8.5 mtr damage |
| | | | Power Department Pole 8.5 mtr. in Nos. | APDCL | Lotka | Lotka | | | 1 No. of Power Department Pole 8.5 mtr damage |
| | Power Dept. damage in KM | 2 | Conductor damage in KM | APDCL | K. Harinchara Paglaganj | Kachakhana Harinchara | 89.87 | 26.21 | 3 KM LT conductor damage at village Kachakhana Harinchara Paglaganj, Lotka and Pub |

| | | Conductors (in Nos) | | | | | Paglaganj, Lotka, Pub Gaikhowa Pt I | | | Gaikhowa Pt I. 0.5 KM HT conductor damage at village Lotka |
|------------------|---------------------------------|-------------------------------------|-------------------|-----------------------------------|------------------------|-----------------------|-------------------------------------|-------------|---|--|
| South Salmara | Mankachar | Elementary Schools Damaged (in Nos) | 19 | Kalorpar Sadullabari LPS | Education Deptt. | Sadullabari | Sadullabari | 89.97 | 25.63 | Class room fully damaged |
| | | | | 1924 No Boraikandi LP School | Education Deptt. | Fekamari Pt I | Boraikandi | 89.87 | 25.71 | Class room Partially damaged |
| | | | | 1249 No Nandia LP School | Education Deptt. | Pipulbari Pt I | Pipulbari Pt-I | 89.95 | 25.64 | Kitchen sheet fully damaged |
| | | | | Kalapani HS School | Education Deptt. | Chirakhowa | Kalapani | 89.95 | 25.62 | Class room partially damaged |
| | | | | Piazbari BM High School | Education Deptt. | Ferangirchar | Piazbari | 89.92 | 25.75 | Class room partially damaged |
| | | | | 387No Jangal Chariali AP | Education Deptt. | Sadullabari | Sadullabari | 89.96 | 25.61 | Class room partially damaged |
| | | | | Charsishumara LP School | Education Deptt. | Kaliralg Pt I | Kaliralg Pt-I | 89.87 | 25.72 | Class room fully damaged |
| | | | | Sewraguri MB School | Education Deptt. | Rambholapara | Rambholapara | 89.94 | 25.68 | Kitchen sheet fully damaged |
| | | | | Okrabari LP School | Education Deptt. | Kukurmara Pt I | Okrabari | 89.89 | 25.63 | Class room partially damaged |
| | | | | Haji Montaz Ali High School | Education Deptt. | Sadullabari | Sadullabari | 89.96 | 25.62 | Class room partially damaged |
| | | | | Kukurmara HS School | Education Deptt. | Charbari Pt I | Kukurmara | 89.89 | 25.66 | Class room partially damaged |
| | | | | South Arat Gram LP School | Education Deptt. | Darakoba Pt I | Darakoba Pt-I | 89.92 | 25.64 | Class room fully damaged |
| | | | | 236 No Kumargati Hills B AP | Education Deptt. | Tangaon Pt II | Tangaon Pt-II | 89.97 | 25.63 | Class room partially damaged |
| | | | | Darakuba ME School | Education Deptt. | Darakoba Pt II | Darakuba Pt-II | 89.91 | 25.64 | Class room partially damaged |
| | | | | 2228 No Harinmara LP School | Education Deptt. | Tangaon Pt II | Tangaon Pt-II | 89.96 | 25.64 | Class room partially damaged |
| | | | | 2096 No talipara LP School | Education Deptt. | Diara | Puran diara | 89.89 | 25.67 | Class room partially damaged |
| | | | | Makrikhula LP School | Education Deptt. | Tangaon Pt III | Tangaon Pt-III | 89.96 | 25.65 | Class room partially damaged |
| | | | | Kumar gati Garopara Lp School | Education Deptt. | Tangaon Pt II | Tangaon Pt-II | 89.97 | 25.63 | Class room partially damaged |
| | | | | 1731 No Arat Gram LP School | Education Deptt. | Darakoba Pt II | Dharakuba Pt-II | 89.91 | 25.64 | Class room partially damaged |
| | | | | Power Dept. Transformers (in Nos) | | 325kva transformer | APDCL | Sadullabari | Sadullabari | 98.86 |
| | | | 25kva transformer | APDCL | Chirakhowa Mohishghuma | Chirakhawa Mohishguma | 89.92 | 25.62 | | |
| | | | 25kva Transformer | APDCL | Chirakhowa | Chirakhawa bauskata | 89.94 | 25.61 | | |
| | Power Dept. Conductors (in Nos) | | 130 KM conductor | APDCL | Kukurmara Pt I | kukurmara Pt-I | 89.89 | 25.64 | Conductor has been damaged of revenue village Kukurmara Pt-I, Kathalbari, Charbari Pt-I, Dharakuba Pt-I, Chirakhawa Bengarvita, Chirakhawa Toppara, Chirakhawa Mohishguma, Charbari Pt-II, Assamkata, Pipulbari Pt- | |

| | | | | | | | | | | | |
|----------------------------|-------|---------------------------------|-------------------|------------------------|------------------------|-------|-------|--|--|--|--|
| | | | | | | | | | | | II,Pipulbari Pt-III,Moishaldanga Pt-I,Moishaldanga Pt-II,Chirakhawa,Darua,Sadullabari,Tangaon Pt-I,Bormatia,Pecherkandi, Dhanua, Tangaon Pt-III, paglatola, Ragupara,Fekamari Pt-II and Bhutiadanga. |
| Power Dept. Poles (in Nos) | 114 | 2HT poles and 2nos Lt poles | APDCL | Chirakhowa Toppara | Chirakhawa Toppara | 89.92 | 25.62 | | | | |
| | | 5HT poles and 2nos Lt poles | APDCL | Chirakhowa Mohishghuma | Chirakhawa Mohishghuma | 89.92 | 25.62 | | | | |
| | | 1HT poles and 9LT poles | APDCL | Charbari Pt I | Charbari Pt-I | 89.88 | 25.66 | | | | |
| | | 2nos LT poles | APDCL | Assamkata | Assamkata | 89.91 | 25.65 | | | | |
| | | 3nos HT and 2no LT poles | APDCL | Darua | darua | 89.91 | 25.62 | | | | |
| | | 3nos HT poles and 4nos Lt poles | APDCL | Kathalbari | kathalbari | 89.88 | 25.68 | | | | |
| | | 4nos LT poles | APDCL | Moishaldanga Pt I | Moishaldanga Pt-I | 89.89 | 25.66 | | | | |
| | | 8nosHt poles and 5nos LT ples | APDCL | Kukurmara Pt I | Kukurmara Pt-I | 89.98 | 25.64 | | | | |
| | | 2nos HT and 2nos Lt poles | APDCL | Charbari pT II | Charbari Pt-II | 89.88 | 25.66 | | | | |
| | | 3Lt poles | APDCL | Darakoba Pt II | Dharakuba Pt-II | 89.89 | 25.63 | | | | |
| | | 2nosHT and 1nos LT poles | APDCL | Sadullabari | Sadulabari Kalpara | 89.96 | 25.61 | | | | |
| | | 2nos HT and 3Nos LT poles | APDCL | Moishaldanga Pt II | Moishaldanga Pt-II | 89.89 | 25.66 | | | | |
| | | 4nos Ht and 3Nos LT | APDCL | Pipulbari Pt III | Pipulbari Pt-III | 89.92 | 25.65 | | | | |
| | | 3nos LT poles | APDCL | Chirakhowa Benghervita | chirakhawa Bengarvita | 89.91 | 25.62 | | | | |
| | | 1nos Ht and 3nos Lt poles | APDCL | Pipulbari Pt II | Pipulbari Pt-II | 89.92 | 25.65 | | | | |
| | | 2nos Lt poles | APDCL | Chirakhowa | Kalapani | 89.92 | 25.62 | | | | |
| | | 2nos LT poles | APDCL | Pesarkandi | Pecherkandi | 89.92 | 25.66 | | | | |
| | | 1nos LT poles | APDCL | Pesarkandi | Sajnipara | 89.92 | 25.66 | | | | |
| | | 4nos Ht and 3nos LT poles | APDCL | Pipulbari Pt III | pipulbari Pt-III | 89.92 | 25.65 | | | | |
| | | 2nosHT poles | APDCL | Bormatia | Pankata Tiksali | 89.86 | 25.54 | | | | |
| 9nos HT and 2nos LT poles | APDCL | Chirakhowa | Chirakhawa | 89.94 | 25.62 | | | | | | |
| 2NosHT and 2nos LT poles | APDCL | Pipulbari Pt III | pipulbari Pt-III | 89.92 | 25.66 | | | | | | |
| 4nosLT poles | APDCL | Moishaldanga Pt I | Moishaldanga Pt-I | 89.89 | 25.66 | | | | | | |

| | | | | | | | | | | |
|------------|---------------|-----------------------------------|-----|---------------------------|-------|------------------------|---|-------|-------|---|
| | | | | 1nos LT poles | APDCL | Raghupara | raghupara | 89.92 | 25.71 | |
| | | | | 2nos HT poles | APDCL | Fekamari PT II | Fekamari | 89.92 | 25.69 | |
| | | | | 1nos LT poles | APDCL | Paglatola. | paglatola | 89.89 | 25.7 | |
| | | | | 1nosHT and 1Nos LT | APDCL | Tangaon Pt I | Tangaon Pt-I | 89.95 | 25.63 | |
| | | | | 1nos LT poles | APDCL | Dhanua | Dhanua | 89.92 | 25.66 | |
| | | | | 1nos LT poles | APDCL | Chirakhowa Benghervita | Bengarvita | 89.92 | 25.62 | |
| | | | | 1nos LT | APDCL | Bhutiadanga | Bhutiadanga | 89.92 | 25.77 | |
| | | | | 2nos LT poles | APDCL | Tangaon Pt III | tangaon Pt-III | 89.96 | 25.61 | |
| | South Salmara | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil |
| Bongaigaon | Dangtol | Power Dept. Conductors (in Nos) | 2 | Conductor | APDCL | Chungapota | Chungapota | 90.23 | 26.5 | 0.24 km conductor snapped at the village of Chungapota due to storm occurred on 30.05.2024. |
| | | | | Tilpukhuri | APDCL | Tilpukhuri | Tilpukhuri | 90.52 | 26.46 | 0.48 km of conductor snapped at the village of Tilpukhuri under Dangtol Rev Circle Bidyapur due to storm occurred on 30.05.2024. |
| | | Power Dept. Transformers (in Nos) | 1 | Transformer | APDCL | Chungapota | Chungapota | 90.23 | 26.5 | One Transformer located at the village of chungapota under Dangtol Rev Circle , Bidyapur got damaged due to storm occurred on 30.05.2024. |
| Bongaigaon | Bongaigaon | Power Dept. Conductors (in Nos) | 1 | Conductor | APDCL | Bakharapara Part I | Jyotinagar 26.49488 90.544563 0.19KM Jyotinagar 26.495088 90.544706 0.18KM Barpara 26.2722 90.5577 0.16KM Dewripara 26.457941 90.561096 0.3 km Bagheswari para 26.474492 90.562869 0.26 km | 90.56 | 26.27 | Total 1.09 KM conductor snapped |
| | | Power Dept. Poles (in Nos) | 3 | Poles | APDCL | Dolaigaon Pt.-I | Jyotinagar 26.49488 90.544563 1 Jyotinagar 26.495088 90.544706 1 Barpara 26.2722 90.5577 Dewripara 26.457941 90.561096 1 | 90.54 | 26.49 | Total 3 Nos. Pole damaged |
| Udalguri | Khairabari | Power Dept. Poles (in Nos) | 2 | APDCL Tangla Subdivision | APDCL | Bagaribari | Bagaribari | 91.82 | 26.55 | As reported by the department, one number of pole was damaged due to gusty wind and rainfall. |
| | | | | APDCL Tangla Sub Division | APDCL | Betagaon | Betagaon | 91.78 | 26.65 | As reported by the department, one number of pole was damaged due to gusty wind and rainfall. |
| | | Power Dept. Conductors (in Nos) | 2 | APDCL Tangla Subdivision | APDCL | Bagaribari | Bagaribari | 91.82 | 26.55 | As reported by the department, conductors of length 0.56 km were snapped, due to gusty wind and rainfall. |
| | | | | APDCL Tangla Subdivision | APDCL | Betagaon | Betagaon | 91.78 | 26.65 | As reported by the department, conductors of length 0.6 km were |

| | | | | | | | | | | |
|---------|-------------|--|---|-------------------------|-------|------------------|--|-------|--|--|
| | | | | | | | | | snapped, due to gusty wind and rainfall. | |
| | Harisinga | Power Dept. Conductors (in Nos) | 6 | APDCL conductor | APDCL | Mantikiri | Mantikiri | 91.97 | 26.73 | 1 conductor snapped 0.38 kms |
| | | | | APDCL conductor | APDCL | No.1 Barangajuli | No.1 Barangajuli | 91.77 | 26.79 | 1 conductor snapped 0.4 kms |
| | | | | APDCL conductor | APDCL | Kakalbhangi | Kakalbhangi | 91.88 | 26.68 | 2 numbers of conductors snapped (0.51 kms and 0.46kms) |
| | | | | APDCL conductors | APDCL | Kukurakata | Kukurakata (Nepalikhuti) | 91.89 | 26.66 | 2 numbers of conductors snapped (0.29 kms and 0.28kms) |
| | | Power Dept. Poles (in Nos) | 4 | APDCL pol damaged | APDCL | Kukurakata | Kukurakata(Nepalikhuti) | 91.98 | 26.66 | 2 numbers of pol damaged. |
| | | | | APDCL pol | APDCL | Kakalbhangi | Kakalbhangi | 91.88 | 26.68 | 2 numbers of pol damaged. |
| Darrang | Dalgaon | Power Dept. Poles (in Nos) | 1 | Kharupetia sub division | APDCL | Barigaon. | Burigaon near fuel pump | | | A huge tree fallen over LT network today morning where 1 no of pole broken |
| | | Power Dept. Conductors (in Nos) | 2 | Kharupetia sub division | APDCL | Ghiladhari | Ghiladhari | | | 600 mtr of HT network of 11 KV kopati feeder got affected (Barigaon and Ghiladhari total 800 mtr conductors damaged) |
| | | | | Kharupetia sub division | APDCL | Barigaon. | Burigaon near fuel station | | | 200 mtr LT network got damaged. |
| | Patharighat | Power Dept. Conductors (in Nos) | 8 | conductor | APDCL | Ghilakuri | Ghilakuri 1 Km | | | as reported by SDE Sipajhar APDCL conductor and wires damaged on 30.05.2024 |
| | | | | conductor | APDCL | Barpathar | Barpathar 0.5 Km | | | as reported by SDE Sipajhar APDCL conductor and wires damaged on 30.05.2024 |
| | | | | conductor | APDCL | Salikajhar | Salikajhar 0.8 Km | | | as reported by SDE Sipajhar APDCL conductor and wires damaged on 30.05.2024 around 5.6 km |
| | | | | conductor | APDCL | Khatara | Khatara 0.6 | | | as reported by SDE Sipajhar APDCL conductor and wires damaged on 30.05.2024 |
| | | | | conductor | APDCL | Nagaon, Dipila | Nagaon Sarabari (Hatimara) 0.5 Km | | | as reported by SDE Sipajhar APDCL conductor and wires damaged on 30.05.2024 |
| | | | | conductor | APDCL | Bishnupur | Bishnupur (Haldha Part) 0.5 Km | | | as reported by SDE Sipajhar APDCL conductor and wires damaged on 30.05.2024 |
| | | | | conductor | APDCL | Potapukhuri | potapukhri 0.7 Km | | | as reported by SDE Sipajhar APDCL conductor and wires damaged on 30.05.2024 |
| | | | | conductor | APDCL | Batabari | batabari 0.8 KM | | | as reported by SDE Sipajhar APDCL conductor and wires damaged on 30.05.2024 |
| | | Power Dept. Poles (in Nos) | 5 | electric pole | APDCL | Batabari | batabari 2, potapukhri 1, ghilakuri 1, haldha (part) Bishnupur 1 | | | as reported by SDE APDCL, Sipajhar Sub Div. occurred as on 30.05.2024 |
| | Sipajhar | Power Dept. Poles (in Nos) | 6 | Poles | APDCL | Metapara | pole damaged 6 nos. Metapara(2), gharwale sonapur(2), borachuba(2) | | | As reported by SDE, APDCL Sipajhar Electrical Sub Division |
| | | Public Health Engineering (PHE) (in Nos) | 1 | Sanoa PWSS | PHE | Sanoa | Sanoa | | | |
| | | Power Dept. | 1 | Conductor | APDCL | Metapara | Conducted damaged approx | | | As reported by SDE APDCL Sipajhar Electrical Sub Division |

| | | | | | | | | | | |
|-----------|-----------|-----------------------------------|----|----------------------------------|-------|---|--|-------|---|---|
| | | Conductors (in Nos) | | | | 6km Metapara(0.8km), gharowa sonapur(2km), borachuba(1km), ganeshkuari(1.2 km), dusotani(0.7km), kuwarijan(0.3km) | | | | |
| | | Power Dept. Transformers (in Nos) | 1 | Transformer | APDCL | Kuwarijan | Kuwarijan | | | |
| | Mangaldai | Power Dept. Poles (in Nos) | 14 | Poles | APDCL | Gakhirkhowapara | Gakhirkhowapara 2, Gariapara (Dahi Mouza) 1, Sereng Chapari 2, Bherpari Chapori 1, Jhargaon 1, Bezpara 1, Bahjani 1, Daha 1, Nagarbahi 1, Chilabandha 2, Howlymahanpur 1 | | As report received from APDCL SDE Mangaldai Gakhirkhowapara 2, Gariapara (Dahi Mouza) 1, Sereng Chapari 2, Bherpari Chapori 1, Jhargaon 1, Bezpara 1, Bahjani 1, Daha 1, Nagarbahi 1, Chilabandha 2, Howlymahanpur 1 dated 30-05-2024 | |
| | | Power Dept. Conductors (in Nos) | 1 | Conductors | APDCL | Gakhirkhowapara | Gakhirkhowapara 0.6 km, Gariapara 0.3 km, Chereng chapari 0.6 km, Medhichapari 0.3 km, Kaniatari 0.3 km, Boralekhaity 0.5 km, Aparia 0.2 km, Manitari 0.3, Bherpari 0.4 km, Bhokelikanda 0.3 km, Bangalpota 0.5 km, Ghatuapara 0.3 km, Dhariakhaity 0.2, Barkumarpara 0.2, Kuiapani 0.3 km, Gadhiapara 0.3 km, Jhargaon 0.3 km, Bezpara 0.3 km, Serpur 0.2 km, Bahjani 0.4 km, Daha 0.3 km, Nagarbahi 0.3 km, Chilabandha 0.5 km, Howly Mohanpur 0.2 | | As per report received from APDCL SDE Mangaldai Sub division total 8.4 KM conductors Damaged dated 30-05-2024 | |
| Kokrajhar | Bagribari | Power Dept. Conductors (in Nos) | 12 | CONDUCTOR LT- 0.2 KM, HT- 2.1 KM | APDCL | Thuria Pahar | VILL- THURIAPAHAR | 90.01 | 26.13 | Damaged due to storm on 31-05-2024 Conductor LT- 0.2 KM HT- 2.1 KM |
| | | | | CONDUCTOR LT- 0.2 KM, HT- 1.5 KM | APDCL | Jangirkilla Pt-II | VILL- JANGIRKILA PT-II | 90.08 | 26.18 | Damaged due to storm on 31-05-2024 Conductor LT- 0.2 KM HT- 1.5 KM |
| | | | | CONDUCTOR LT- 0.7 KM, HT- 1.5 KM | APDCL | Falakata Pt-I | VILL- FALAKATA PT I | 90.13 | 26.24 | Damaged due to storm on 31-05-2024 Conductor LT- 0.7 KM HT- 1.5 KM |
| | | | | CONDUCTOR LT- 0.5 KM, HT- 1.9 KM | APDCL | Angarkata Pt-II | vill- angarkata pt ii | 90.12 | 26.2 | Damaged due to storm on 31-05-2024 Conductor |

| | | | | | | | | | | |
|---|-----------------|--|-----|----------------------------------|-------|-------------------|---|-------|-------|---|
| | | | | | | | | | | LT- 0.5 KM HT- 1.9 KM |
| | | | | CONDUCTOR LT- 0.9 KM, HT- 0.6 KM | APDCL | Rangamati Hill | VILL- RANGAMATI HILL | 90.07 | 26.17 | Damaged due to storm on 31-05-2024 Conductor LT- 0.9 KM HT- 0.6 KM |
| | | | | CONDUCTOR LT- 1 KM, HT- 0.5 KM | APDCL | Jaldoba Pt-II | VILL- JOLDABA PT II | 89.87 | 26.23 | Damaged due to storm on 31-05-2024 Conductor LT- 1 KM HT- 0.5 KM |
| | | Power Dept. Poles (in Nos) | 26 | POLE 9.75MTR- 12 NOS | APDCL | Thuria Pahar | VILL- THURIAPAHAR | 90.01 | 26.13 | Damaged due to storm on 31-05-2024 Poles- 12 nos- 9.75 mtr |
| | | | | POLE 9.75MTR- 5 NOS | APDCL | Angarkata Pt- II | VILL- ANGARKATA PT- II | 90.12 | 26.2 | Damaged due to storm on 31-05-2024 Poles- 05 nos- 9.75mtr |
| | | | | POLE 8.5MTR- 3 NOS | APDCL | Jangirkilla Pt-II | VILL- JANGIRKILA PT - II | 90.08 | 26.18 | Damaged due to storm on 31-05-2024 Poles- 03 nos- 8.5mtr |
| | | | | POLES 9.75MTR- 06 NOS | APDCL | Falakata Pt-I | VILL- FALAKATA PT - I | 90.13 | 26.24 | VILL- FALAKATA PT - I |
| Charaideo | Sapekhati | Power Dept. Poles (in Nos) | 1 | LT Poles damage | APDCL | Lefera Gaon | 1 LT pole and 800 meter of conductor damage due to heavy rainfall and mild storm. | 95.29 | 27.12 | |
| Kamrup (M) | Azara | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil | Nil |
| Remarks | District | Details | | | | | | | | |
| | Baksa | | | | | | | | | |
| | Dhubri | | | | | | | | | |
| | South Salmara | (Mankachar - As per report received from Sub-Divisional Engineer Mankachar Electrical Sub- Division APDCL Mankachar has been 3 nos Transformer, 114 nos electrical poles and 30 KM of conductor damaged due to storm on 30-05-2024 at around 11.30 am. As per report received from BEO Mankachar has been 19 nos school class room, kitchen room fully / partially damaged due to storm on 30-05-2024 at around 11.30am. As per report received from BDO Fekamari/Mankachar has been Kathalbari GP office partially, SHG meeting hall partially and Work shed of Block Office Amrit Sarovar partially damaged due to storm on 30-05-2024 at around 11.30am. As per report received from Gaon Pradhan under Mankachar has been pukka house partially 17 nos and Huts 124 Nos. damaged due to storm on 30-05-2024 at around 11.30am.), (South Salmara - As per report received from concern Gaon Pradhan mention damage occurred as on 30/05/25 at 11.35 AM due to Storm.) | | | | | | | | |
| | Bongaigaon | | | | | | | | | |
| | Udalguri | | | | | | | | | |
| | Darrang | (Dalgaon - Report submitted as per the report received from Gaon pradhan, Lot Mandal and SDE, Kharupetia APDCL), (Patharighat - as per report recieved from SDE APDCL, Sipajhar Sub Div), (Mangaldoi - As per report received from APDCL SDE Mangaldai Sub division) | | | | | | | | |
| | Kokrajhar | | | | | | | | | |
| | Charaideo | | | | | | | | | |
| | Kamrup (M) | (Azara - As reported by the Gaon Pradhan, the one house were damaged due to extreme rain and wind in Garbhanga reserve forest. Date-31/05/2024) | | | | | | | | |
| Report Generated On: 31-05-2024 08:42 PM | | | | | | | | | | |